

A Statistical Analysis of Log-Periodic Precursors to Financial Crashes

James A. Feigenbaum
Tippie College of Business
Department of Economics
University of Iowa
Iowa City, 55242

February 1, 2008

Abstract

Motivated by the hypothesis that financial crashes are macroscopic examples of critical phenomena associated with a discrete scaling symmetry, we reconsider the evidence of log-periodic precursors to financial crashes and test the prediction that log-periodic oscillations in a financial index are embedded in the mean function of this index. In particular, we examine the first differences of the logarithm of the S&P 500 prior to the October 87 crash and find the log-periodic component of this time series is not statistically significant if we exclude the last year of data before the crash. We also examine the claim that two separate mechanisms are needed to explain the frequency distribution of draw downs in the S&P 500 and find the evidence supporting this claim to be unconvincing.




Figure 1: The S&P 500 from 1982 to 1988 and a fit according to Eq. (1) with $A = 380.4$, $B = -10.8$, $C = -.0743$, $t_c = 10/20/87$, $\alpha = .422$, $\omega = 5.965$, and $\phi = .124$.

1 Introduction

Several authors in the physics community (including [1], [2], [3], [4], [5], [6], [7], and [8]) have written about the appearance of log-periodic oscillations in stock market indices during the months and years leading up to financial crashes. By a log-periodic oscillation, we mean that a variable exhibits a functional form such as

$$y(x) = A + Bx^\alpha [1 + C \cos(\omega \ln x + \phi)] . \quad (1)$$

The cosine term in this expression produces oscillations with a period that grows or shrinks exponentially. As an example, if we let $x = t_c - t$, where t_c is the time of the well-known crash of October 19, 1987, then we can see this pattern in the Standard and Poor's 500 (S&P 500) during the five years prior to the crash as shown in Fig. 1.

Such log-periodic oscillations are of interest to physicists because log-periodicity is the signature of a spatial environment with a discrete scaling symmetry. The observation of log-periodic precursors has been interpreted as evidence that the subsequent financial crash can be viewed as a critical point analogous to a phase transition in a more traditional physics environment. Heuristically, this picture of a transition to an ordered state is certainly consistent with what happens during a stock market crash, when virtually all investors will be in agreement that the price is dropping and that they should sell, in contrast to the normal disordered state where the price remains fairly stable because there is a buyer for every seller. The theoretical issue is how far this analogy can properly be taken.

One can envision a discrete scaling symmetry arising in financial markets if one models investors as forming networks of friends and contacts. If every agent has n contacts, it is indeed possible to construct a network which exhibits a scaling symmetry. Johansen et al. [9] propose a model of imitative investors, living in such a network, which is essentially an Ising spin model. A spin-up constituent represents a buyer, a spin-down constituent represents a seller, and neighboring spins interact in a manner that encourages them to align in the same direction. Johansen et al. respond to the criticism that a rational agent could exploit log-periodic fluctuations to his financial advantage, and thereby acquire all the wealth in the economy, by requiring that stock prices obey a martingale condition that would rule out arbitrage opportunities. How the collective behavior of the imitative investors translates into a price that satisfies this martingale condition is left unmodeled. Regardless of the underlying details, this martingale condition is a very strong restriction on the behavior of prices, and testing this condition is the primary focus of the present paper.

A major deficiency of the vast body of previous work on log-periodic precursors is that most of the analysis has been qualitative rather than statistical in nature. The emphasis has been placed on establishing the existence of log-periodic fluctuations, usually through curve-fitting or more recently through the use of Lomb periodograms ([10]). We should note that we take it as a given in this paper that such methods are valid. We do not dispute the existence of log-periodic fluctuations like those pictured in Fig. 1. What remains controversial is why these fluctuations exist. Are they indeed part of a collective process leading up to a phase transition? Or can they be more simply explained as an accidental feature of the stochastic processes that drive financial indices? Only statistical methods have the power to distinguish these possibilities.

A small amount of work has already been done in this vein. Feigenbaum and Freund [2] modeled the stock market as a random walk and found that the average time between a log-periodic spell and the next financial crash was significantly longer in real-world data than in Monte Carlo simulations. Johansen et al. ([9], [10]) report similar results from an experiment where they modeled the stock market as a GARCH process. While these are positive results with respect to the hypothesis of crashes as critical points, they are both strongly tied to a specific model of the underlying stochastic process, what statisticians term the data generating process (DGP). One cannot extrapolate from these two results to conclude that no DGP can account for log-periodicity. The null hypothesis that log-periodic spells are the casual products of random fluctuations has *not* been rejected.

While most studies of log-periodicity have focused on prices, the present paper applies statistical hypothesis testing to the question of whether the first differences of a price process exhibiting log-periodic fluctuations are also log-periodic. This question is of interest because any model in which log-periodic price fluctuations reflect corresponding fluctuations in the mean of the price process will require that the mean of the first differences should also behave log-periodically. In particular, the model of Johansen et al. [9] requires this. Moreover, it is well-known among econometricians that regression estimators

are inconsistent when applied to a serially-correlated time series like a stock price. First differencing the stock price can substantially eliminate this serial correlation and may eliminate effects produced by it. Consequently, the absence of log-periodic fluctuations from the first differences of a price process suggests (although certainly does not prove) that log-periodicity in the integrated price process may be due to serial correlation and random effects.

Examining the first differences for the logarithm of the S&P 500 from 1980 to 1987, we find that the log-periodic component of the Sornette-Johansen specification is statistically significant if we include this entire period in the fit. However, if we exclude the last year, the log-periodic component is no longer statistically significant. Furthermore, the best fit in this truncated data set predicts a crash in June of 1986, shortly after the data set ends but well before the actual crash. Presumably the log-periodic fit is coupling to some structure in the data just prior to the crash which does not characterize the whole time series. Thus we conclude that log-periodicity is either negligible or not present in these first differences, a negative result for the model of Johansen et al. [9].

A second claim that we consider was put forward by Johansen and Sornette [11] and pertains to the distribution of drawdowns, where a drawdown is the accumulated drop in an index from a local maximum to the next local minimum. Assuming that the fat-tailed distribution of daily returns falls off exponentially in the limit of large negative returns, they derive that the distribution of drawdowns should also be exponential. Empirically, they find that the frequency distribution of drawdowns over the past century does indeed look exponential except for three outliers, the 29 and 87 crashes and a crash during World War I. They infer from this that a different mechanism must be responsible for these outliers and suggest that this mechanism is also responsible for producing log-periodic oscillations. In principle, however, one can examine any set of data with one dependent variable and say that the graph looks exponential except for some outliers. In order to make this a testable claim, one has to consider whether there are statistically significant deviations from the exponential curve. In fact, statistically significant deviations do occur, and we conclude that this evidence of a special crash mechanism is unconvincing.

The paper proceeds as follows. In Section 2, we review the basic elements of the Sornette-Johansen framework and note some theoretical criticisms. Since the initial papers on this subject appeared, Sornette and Johansen [12] have developed a more sophisticated specification for observed log-periodic oscillations, treating the logarithm of the price index as the dependent variable rather than the price itself. We will see in Section 3 that the logarithmic specification does fit the S&P 500 prior to the 87 crash. It also fits to the S&P 500 prior to downturns in 1974, 1997, 1998, and an otherwise unremarkable downturn of less than 1% in 1985. This last finding raises the spectre that perhaps log-periodic behavior is not especially noteworthy and is not inherently related to crashes. In Section 4, we examine the first differences of the logarithm of the S&P 500 during the period of 1980 to 1987 and test the statistical significance of the log-periodic component of the Sornette-Johansen specification. In Section 5, we consider the distribution of drawdowns over the period from 1962 to 1998

and examine whether the 87 crash deserves classification as an outlier. Finally, in Section 6, we offer some concluding remarks.

2 The Sornette-Johansen Paradigm

Johansen et al. [9] model the behavior of a speculative stock which pays no dividends. They allow for the possibility that at least one rational, risk neutral agent with rational expectations, who does not discount the future, exists in their economy. Given this assumption, the stock price $p(t)$ must follow a martingale. For all $t' > t$,

$$E_t[p(t')] = p(t), \quad (2)$$

where E_t denotes the expectation operator conditional on all information available at t . Strictly speaking, the E_t operator in Eq. (2) would refer to an expectation based on the beliefs of the hypothesized agent. When we say the agent has rational expectations, we mean the agent's beliefs in fact correspond to reality, so E_t is also the objective expectation operator.

In a market equilibrium where agents behave optimally according to their preferences, Eq. (2) is an endogenous no-arbitrage condition that must hold for markets to clear. If $E_t[p(t')] > p(t)$, a risk-neutral agent will find it profitable to hold an infinite amount of the stock. Consequently, rational agents will bid up the price at t until Eq. (2) is satisfied. Similarly, if $E_t[p(t')] < p(t)$, rational agents will find it profitable to sell short an infinite amount of the stock. Since the supply of stock is finite, neither of these two possibilities is consistent with equilibrium.

Since the stock pays no dividends, its fundamental value (the expected present value of the stream of future dividends) is zero, so any positive price constitutes a “bubble”. In a world of perfect certainty, for $t' = t + 1$, Eq. (2) would translate to the trivial difference equation

$$p_{t+1} = p_t, \quad (3)$$

and it would follow by mathematical induction that p_t must be a constant. If we assume that bubbles cannot be sustained forever, then a transversality condition (essentially the boundary condition at the end of time) will hold:

$$\lim_{t \rightarrow \infty} p(t) = 0. \quad (4)$$

In that case, we will have $p_t = 0$ for all t . Given the transversality condition, bubbles cannot arise under perfect certainty. With uncertainty, however, Eq. (2) is no longer a deterministic difference equation and will have an infinite number of solutions that satisfy the generalized transversality condition

$$\lim_{t' \rightarrow \infty} E_t[p(t')] = 0. \quad (5)$$

(See Chapter 5 of [13] for a review of bubble solutions.)

Consequently, Johansen et al. consider a price process which satisfies Eq. (2) but also introduces the possibility of a crash. Let j denote a random variable that equals 0 before the crash and 1 afterwards. Denote the continuous distribution function (cdf) of the crash time as $Q(t)$ and the corresponding probability density function (pdf) as $q(t) = \dot{Q}(t)$. The hazard rate, the probability per unit time that the crash will happen in the next instant if it has not already happened, will then be

$$h(t) = \frac{q(t)}{1 - Q(t)}. \quad (6)$$

If we assume that the crash involves a downturn of a fixed percentage $\kappa \in (0, 1)$ of the price, then the price process can be described as

$$\frac{dp}{p(t)} = \mu(t)dt + \varepsilon(t) - \kappa p(t)dj, \quad (7)$$

where $\varepsilon(t)$ is a mean-zero noise term. The time-dependent drift $\mu(t)$ is then determined by Eq. (2):

$$E_t[dp] = \mu(t)p(t)dt - \kappa p(t)h(t)dt = 0. \quad (8)$$

Thus

$$\mu(t) = \kappa h(t). \quad (9)$$

Disregarding the noise term (whose contribution may be computed using Ito calculus), Eq. (7) has the solution

$$\ln \left[\frac{p(t)}{p(t_0)} \right] = \kappa \int_{t_0}^t h(t')dt' \quad (10)$$

prior to the crash. The connection of this theory to physics lies in the determination of the hazard rate function $h(t)$.

In addition to any rational agents in the economy, Johansen et al. posit the existence of a large number of irrational noise traders, and it is these noise traders who are responsible for any dynamics leading up to a crash. They construct a “microscopic” model in which the noise traders are imitative investors who reside on a local interaction network. Neighbors of an agent on this network can be viewed as the agent’s friends or contacts, and an agent will incorporate the views of his neighbors regarding the stock into his own view.

At time t , each agent i is assumed to be in one of two states: a bullish state $s_{it} = +1$ or a bearish state $s_{it} = -1$. If we denote the set of nearest neighbors as $N(i)$, given the states of all his neighbors at t , i ’s state at $t + 1$ will be determined by

$$s_{i,t+1} = \text{sgn} \left(K \sum_{j \in N(i)} s_{jt} + \varepsilon_{i,t+1} \right), \quad (11)$$

where $K > 0$ is a constant and ε_{it} is an i.i.d. random variable with $E[\varepsilon_{it}] = 0$. The sign function $\text{sgn}(x)$ equals 1 for positive x and -1 for negative x . If i 's neighbors are preponderantly bullish, i will likely be bullish also, and conversely if his neighbors are bearish. A crash occurs when virtually all agents are in the bearish state. Johansen et al. are able to show that the hazard rate function $h(t)$ will be determined by K , the distribution of the ε_{it} , and the structure of the network. In particular, if the network exhibits a discrete scaling symmetry, then the hazard rate function will have a log-periodic form like Eq. (1), and Eq. (10) then implies that the stock price will also behave log-periodically.

One criticism of this model made by Ilinski [14] is that Eq. (2) will not hold if agents are risk-averse, although the modification he suggests is not precisely correct. If agents allocate their investments at time t so as to maximize

$$E_t \left[\int_t^\infty e^{-\delta(\tau-t)} u(c(\tau)) d\tau \right], \quad (12)$$

where $c(t)$ is consumption at time t , $u(\cdot)$ is the period utility function (which measures the degree of satisfaction or happiness that an agent derives from a given level of consumption), and δ is the rate at which agents discount utility from future consumption, then it can be shown that in equilibrium the price of a stock must obey

$$p(t) = e^{-\delta(t'-t)} E_t \left[\frac{u'(c(t'))}{u'(c(t))} p(t') \right] \quad (13)$$

for any $t' > t$. Note that, in addition to $p(t')$, $c(t')$ will also be a random variable, so Eq. (13) cannot be simplified to an expression of the form

$$p(t) = \nu E_t [p(t')], \quad (14)$$

where ν is a constant. Instead, one typically writes Eq. (13) as

$$p(t) = E_t [\rho(t') p(t')], \quad (15)$$

where

$$\rho(t') = e^{-\delta(t'-t)} \frac{u'(c(t'))}{u'(c(t))} \quad (16)$$

is often called the pricing kernel. Eq. (15) can still be viewed as describing a martingale process because the pricing kernel can be interpreted as a Radon-Nikodym derivative which transforms the probability distribution ([15]). However, this transformed probability distribution will no longer correspond to the objective probability distribution, even under the rational expectations hypothesis.

In [10], Johansen et al. respond to Ilinski's criticism, but their rebuttal applies only to the martingale condition of Eq. (14) and not to the more general condition of Eq. (15). Their argument is that, since ν in (14) is a finite constant,

it cannot have any impact on the log-periodicity of $E[p(t')]$, and this would be correct if the pricing kernel was a constant. However, the pricing kernel in general is not a constant and is not even a function of the price. Thus, it is not obvious that variations in the pricing kernel could not counteract variations in the price in such a way as to disrupt any log-periodicity.

Moreover, the determination of the pricing kernel is a highly non-trivial problem if there exists a multiplicity of rational agents who are not identical. Since Johansen et al. do not model how the collective behavior of the noise traders is translated into a price, it is not possible for us to even begin such a computation. But corresponding to every rational agent, there would be an equation like (15) which would have to be satisfied, and it is not clear that a log-periodic price trend could be made compatible with each and every one of these martingale conditions.

Nevertheless, if we ignore the possibility of risk-averse agents, we do have a workable model, and we will see in Section 4 whether Eq. (10) with a log-periodic hazard rate function is consistent with the behavior of the S&P 500 prior to the 1987 crash.

3 The Logarithmic Specification

Although early investigations of log-periodic fluctuations in stock market indices prior to financial crashes focused on the specification of Eq. (1), Sornette and Johansen [12] introduced an alternative specification in which it is the logarithm of the price rather than the absolute price which fluctuates log-periodically. This logarithmic specification is preferable to Eq. (1) because it is widely assumed that investors are primarily concerned with relative changes in stock prices rather than absolute changes¹. It is also more straightforward to compare the logarithmic specification to the once popular hypothesis that the logarithm of a stock price will follow a random walk with drift.

Let t_0 be a time prior to the crash at which the stock price has begun to fluctuate log-periodically. We define

$$f_1(t) = \frac{(t_c - t)^\beta}{\sqrt{1 + \left(\frac{t_c - t}{\Delta_t}\right)^{2\beta}}}, \quad (17)$$

and

$$f_2(t) = f_1(t) \cos \left[\omega \ln(t_c - t) + \frac{\Delta_\omega}{2\beta} \ln \left(1 + \left(\frac{t_c - t}{\Delta_t} \right)^{2\beta} \right) + \phi \right]. \quad (18)$$

¹This focus on relative changes can be understood if investors have constant relative risk aversion (CRRA) preferences (meaning that $u(c)$ in Eq. (12) is either $\ln c$ or c^γ for $\gamma \leq 1$).

Then for $t_0 < t < t_c$,

$$E_{t_0} [\ln(p(t)) | j(t) = 0] = A + Bf_1(t) + Cf_2(t), \quad (19)$$

where E_{t_0} is the objective expectation operator at t_0 and $j(t) = 0$ if no crash has occurred at or prior to t . This specification has nine free parameters: A , B , C , ω , β , t_c , ϕ , Δ_t (> 0), and Δ_ω . Note that in the Sornette-Johansen paradigm, t_c does not necessarily correspond to the time of the crash per se (which we will denote by t^*) but to a critical time where the probability of a crash becomes very large. In terms of the microscopic model in [9],

$$\beta = \frac{\eta - 2}{\eta - 1}, \quad (20)$$

where η is the number of nearest neighbors of each agent. Consequently, if their model is correct, $0 < \beta < 1$. Sornette and Johansen also suggest making this restriction so that $p(t)$ does not become unbounded as $t \rightarrow t_c$. However since log-periodic behavior typically breaks down as t gets close to t_c , it has become standard practice to disregard data points very close to the observed crash, in which case Eq. (19) will be bounded in the time span of interest even for $\beta < 0$.

The canonical example of a log-periodic precursor can be seen during the years prior to the October 1987 crash as shown in Fig. 1, so we first consider the closing value of the S&P 500 for each day between January 1, 1980 and September 30, 1987². Suppose there are n trading days in this period. Given a choice of parameters A , B , C , β , ω , t_c , ϕ , Δ_t , and Δ_ω , we define an n -dimensional residual vector e by

$$e_i = \ln(p(t_i)) - A + Bf_1(t_i) + Cf_2(t_i), \quad (21)$$

where t_i is the time of the i th trading day. The standard practice for estimating the parameters of Eq. (19) is to use the least squares estimation procedure, choosing those values which minimize the square of the residual vector $e^T e$. Econometricians define the coefficient of determination

$$R^2 = 1 - \frac{e^T e}{\sum_{i=1}^n (y_i - \bar{y})^2}, \quad (22)$$

where $y_i = \ln(p(t_i))$ and

$$\bar{y} = \frac{1}{n} \sum_{i=1}^n y_i \quad (23)$$

is the sample mean of $\ln(p(t_i))$. The coefficient of determination is often interpreted as the ratio of the amount of variation in the dependent variable explained by a model to the total amount of variation in that dependent variable. The

²All data on the S&P 500 index were obtained from the Center for Research on Securities Prices (CRSP).

closer R^2 is to unity, the more variation in the dependent variable is explained by the model. Note however that R^2 is not invariant to linear transformations of the y_i , so one should not put too much emphasis on its value. Notwithstanding, one could equally well characterize the least squares procedure as maximizing the coefficient of determination.

Eq. (19) is linear in the parameters A , B , and C and nonlinear in the remaining parameters. We use the downhill simplex method (see Chapter 10.4 of [16]) to minimize $e^T e$ as a function of β , ω , ϕ , t_c , Δ_t , and Δ_ω . For each choice of these nonlinear parameters, we obtain the best values of the linear parameters A , B , and C using ordinary least squares (OLS) methods.

The square of the residual vector $e^T e$ is not a well-behaved concave (down) function, so the local minimum obtained by the downhill simplex method will depend on the initial starting point fed to the routine. Indeed, as was noted in [2], one typically finds many local minima with fairly similar values of $e^T e$. Nonlinear least squares (NLLS) estimation requires that as the sample size goes to infinity, $n^{-1}e^T e$ should converge to a function with a unique global minimum in some chosen parameter space (see [17]). However, NLLS theory does not require that $e^T e$ have a unique global minimum within the parameter space for finite samples, and the theory does not offer much guidance about how to deal with a multiplicity of local minima having similar $e^T e$ values that deviate within sampling error. The minimum with the lowest observed $e^T e$ value need not be the closest minimum to the truth.

The first and second columns of Table 1 describe two such local minima for the years prior to the 87 crash. The corresponding fits are plotted in Figs. 2 and 3. Notice that in the fit of Fig. 2, $\beta = .74$ in accord with the microscopic model of [9]. However, the fit of Fig. 3 has $\beta = 1.06$, and the square of the residual vector is a bit smaller in this second fit.

In addition to the multiplicity issue, we face another difficulty because there is really no question that the p_t are serially correlated, which complicates the estimation of standard errors even for the linear parameters A , B , and C . As a result, we do not report standard errors in Table 1, and we will postpone a discussion of whether the individual terms in Eq. (19) are statistically significant until the next section, where we consider the first differences of the price index.

For now, we will simply observe that it is possible to obtain a “reasonable” fit of Eq. (19) to the S&P 500 between 1980 and 1987. Between 1962 and 1998, the next three most significant drawdowns occurred in October 1974, October 1997, and August 1998. As we demonstrate in Figs. 4-6, “reasonable” fits (as reasonable as the fits in [10] for example) to Eq. (19) can also be obtained during the year prior to each of these drops. This evidence might lead one to conclude that there must be a correlation between spells of log-periodic fluctuation and financial crashes.

However, this would be fallacious reasoning because we have not demonstrated that such spells do not occur (with significant frequency) during periods that do not culminate in a financial crash. In fact, when we randomly selected a drawdown from the list of drawdowns between 1962 and 1998 with total magnitude on the order of 1%, we picked a drop of 0.84% that occurred at the

t^*	10/19/87	10/19/87	10/3/74	12/2/85	10/27/97	8/31/98
n	1959	1959	342	365	397	352
t_1	1/2/80	1/2/80	4/26/73	5/23/84	3/7/96	3/11/97
t_n	9/30/87	9/30/87	8/30/74	10/31/85	9/30/97	7/31/98
t_c	11/14/87	9/30/87	9/22/74	11/14/85	1/3/98	3/2/99
A	5.89	5.77	2.84	5.24	7.07	7.29
B	-.0046	-.00041	1.13	-2×10^{-10}	-.0066	-.0024
C	.00051	-.000056	.0199	4×10^{-11}	-.00042	.00022
β	0.74	1.06	0.10	3.53	.73	.84
ω	9.64	-2.24	-1.20	14.64	4.95	10.41
ϕ	-4.34	-0.38	-0.02	-6.47	1.60	-10.58
Δ_t	8.39 yr	4.84 yr	489.63 yr	0.98 yr	3.18 yr	12.74 yr
Δ_ω	11.65	28.85	55.90	-0.30	31.63	72.44
e^Te	4.02	3.36	.24	.12	.18	0.15
R^2	.978	.981	.932	.944	.973	.969

Table 1: Parameter values of fits to $\ln(p)$ for the logarithmic specification




Figure 2: Fit of Eq. (19) to the S&P 500 from 1980 to 1987 with $\beta = .74$. Parameters are given in the first column of Table 1.




Figure 3: Fit of Eq. (19) to the S&P 500 from 1980 to 1987 with $\beta = 1.06$. Parameters are given in the second column of Table 1.




Figure 4: Fit of Eq. (19) to the S&P 500 from April 1973 to October 1974. Parameters are given in the third column of Table 1.




Figure 5: Fit of Eq. (19) to the S&P 500 from March 1996 to October 1997. Parameters are given in the fifth column of Table 1.




Figure 6: Fit of Eq. (19) to the S&P 500 from March 1997 to August 1998. Parameters are given in the last column of Table 1.




Figure 7: Fit of Eq. (19) to the S&P 500 from May 1984 to December 1985. Parameters are given in the fourth column of Table 1.

beginning of December 1985. We display the S&P 500 during the year prior to this small drop in Fig. 7, and we see that this also can be fit to Eq. (19).

This suggests the possibility that there is nothing particularly special about a finding of log-periodic fluctuations in the stock market. Laloux et al. [18] also relate an experience where they observed log-periodic fluctuations in a financial index, predicted a crash, and then were disappointed when none occurred. The hypothesis of a correlation may still be rescued, however, if it can be shown that fits with parameter values in a select set are harbingers of crashes.

This was the approach taken by Feigenbaum and Freund [2], although their definition of a log-periodic spell was ad hoc and not motivated by any statistical theory. Between 1980 and 1994, they found three independent periods that satisfied their definition. A Monte Carlo simulation extending over 10,000 days, which modeled the stock market as a random walk, produced 17 such spells. The average time between a log-periodic spell and the next crash was substantially less in the empirical data than it was in the simulation, which suggests that there might indeed be an association between log-periodic crashes and financial crashes. It should be noted that they worked with the specification of Eq. (1), which has fewer parameters than the specification of Eq. (19). It is possible that adding these extra parameters makes “good” fits to Eq. (19) less extraordinary.

Johansen et al. ([9], [10]) describe a similar experiment where they modeled the stock market as a GARCH process and searched for fits which extended for about eight years and had α , ω , and Δ_t parameters that fell within a specific interval. They also did not find any linkage between a log-periodic spell and an ensuing crash. Another test on the statistical significance of log-periodicity was done by Huang et al. [19] in the context of earthquakes. They

studied the Lomb periodograms of Monte Carlo simulations generated by a DGP with normal i.i.d. noise in order to assess the statistical significance of observed periodograms.

Unfortunately, all of these results are weakened by the fact that only one possible data generating process was ruled out by each experiment. Furthermore, the DGPs used in the two finance experiments were chosen for their simplicity, not because they are credible models of the actual DGP for a stock price. Feigenbaum and Freund used a random walk, but there is really no question any more in the finance community that stock prices do not follow random walks. As for GARCH processes, while these are considered a much better model of the stock market during ordinary periods, there is no reason to believe they are an appropriate model of the stochastic process during an extreme event like a financial crash. In fact, the frequency of crashes in Johansen et al.'s Monte Carlo simulations was much smaller than the frequency of crashes in real data, so their DGP obviously does not adequately capture the behavior of stock prices during and leading up to a crash.

Both Feigenbaum and Freund, and Sornette et al. also looked at randomly selected time windows in the real data and generally found no evidence of log-periodicity in these windows unless they were looking at a time period in which a crash was imminent. While these results are not tied to any DGP since there is no Monte Carlo simulation involved, it is still not clear what if any conclusions can be drawn from this result. It is impossible to collect a random sample of any size with independent draws from a single century of data. Perhaps in the year 3000, our descendants will be better able to judge by this method if log-periodicity really is an indicator of financial crashes. For those of us who do not expect to live that long, some more clever approach must be invented if we are to answer this question with any degree of confidence.

4 Behavior of First Differences

If we focus on a specific choice of the nonlinear parameters β , ω , ϕ , t_c , Δ_t , and Δ_ω in the specification of Eq. (19), then we have a specification linear in the parameters A , B , and C , and we could naively perform statistical tests on hypotheses regarding the values of these parameters. For example, it would be of great interest to determine if C , the coefficient of the term responsible for producing log-periodic oscillations in Eq. (19) is significantly different from zero.

Unfortunately, a minor obstacle gets in the way of our doing this in a consistent manner. Our hypothesis is that if $j(t) = 0$, then

$$y(t) = \ln(p(t)) = A + Bf_1(t) + Cf_2(t) + \varepsilon(t), \quad (24)$$

where $\varepsilon(t)$ is a random disturbance term satisfying

$$E_{t_0}[\varepsilon(t)] = 0. \quad (25)$$

There are well-known ordinary least squares (OLS) estimation formulas both for point estimates of A , B , and C , and their corresponding standard errors. These formulas apply if the $\varepsilon(t)$ are homoskedastic and disturbances at different times are uncorrelated. However, if we consider the S&P 500 from January 1980 to September 1987, the lag-1 autocorrelation³ for $\ln(p(t))$ is .9994, which is not surprising since security prices were once believed to follow random walks. Stock prices may move up or down on a given day, but they rarely move far from the previous day's closing.

We can eliminate most, if not all, of this serial correlation by looking not at $\ln(p(t))$ but at the first differences of $\ln(p(t))$. Define

$$y_i = \ln(p(t_i)) \quad (26)$$

and

$$\Delta y_i = \ln(p(t_i)) - \ln(p(t_{i-1})). \quad (27)$$

Then the lag-1 autocorrelation for Δy_i is only .1511 for the same period examined above.

Let us also define

$$\Delta t_i = t_i - t_{i-1} \quad (28)$$

$$\Delta f_{1i} = f_1(t_i) - f_1(t_{i-1}) \quad (29)$$

$$\Delta f_{2i} = f_2(t_i) - f_2(t_{i-1}). \quad (30)$$

Then Eq. (24) implies

$$E_{t_0}[\Delta y_i | j(t_i) = 0] = B\Delta f_{1i} + C\Delta f_{2i}. \quad (31)$$

We will consider the augmented specification

$$E_{t_0}[\Delta y_i | j(t_i)] = A + B\Delta f_{1i} + C\Delta f_{2i} + D_2\delta_{2i} + D_3\delta_{3i} + D_4\delta_{4i}. \quad (32)$$

The additional variables δ_{2i} , δ_{3i} , and δ_{4i} are binary indicator variables (or so-called “dummy variables”) which take on values of 0 or 1. For a given s , the variable δ_{si} will equal 1 if Δt_i equals s and 0 otherwise. The inclusion of the constant term allows for the possibility of a constant drift in the stock price index. Since the magnitude of this drift may depend on the length of time between measurements, we also include the dummy variables. (Four is the largest Δt that appears in the data.) By doing this, we can, for example, correct for weekend effects. These are of concern because weekly cycles in Δy might arise naturally from the institutional details of the market, and, if we did not include them in the regression, an oscillatory function like Δf_2 might easily project onto them, biasing the estimate of its coefficient.

In Fig. 8, we plot Δy_i as a function of time. No obvious oscillatory pattern is apparent in the graph, although this does not prove that no pattern is there.




Figure 8: First differences of the logarithm of the S&P 500 from January 1980 to September 1987.

	1/2/80-9/30/87	1/2/80-6/5/86
A	.000668	.000450
B	-.006384	-.019967
C	-.001149	.001542
D_2	.001712	.001646
D_3	-.002029	-.002149
D_4	-.002826	-.003463
t_c	10/7/87	6/19/86
β	0.590	0.497
ω	7.333	8.255
ϕ	0.338	0.004
Δ_t	13.4 yr	1285 yr
Δ_ω	28.80	-0.79

Table 2: Parameter values for fits of the first differences of the S&P 500 from January 1980 to September 1987 using the log-periodic specification.

n	1958
$e^T e$	.159777
R^2	0.0172

	coeff.	std. err.	T	p
A	.000665	.000273	2.434	.015
B	-.006334	.004826	-1.312	.190
C	-.001130	.000251	-4.504	.000
D_2	.001704	.002153	0.791	.429
D_3	-.002034	.000605	-3.359	.001
D_4	-.002832	.001450	-1.953	.051

Table 3: Estimation of linear parameters to log-periodic specification with full data set.

Using the same downward simplex method used in Section 3, we obtain the parameter values listed in the first column of Table 2. In Table 3, we report the results of the corresponding OLS regression, holding the nonlinear parameters fixed (the linear parameters deviate slightly from Table 2 because they are computed by a different program). In addition to OLS standard errors, we report corresponding T statistics and nominal p values which correspond to the probability that $|T|$ will be greater than or equal to its observed value under a null hypothesis that the given coefficient is zero. Note that these nominal p values are computed under the assumption of homoskedasticity and no serial correlation. It is fairly well accepted that the S&P 500 is a heteroskedastic process. Furthermore, while the autocorrelation of Δy_t may be insignificant, it is well known that $|\Delta y_t|$ typically shows significant autocorrelation, so the Δy_t time series is very likely serially dependent. Therefore the reported p values should not be given much credence.

The search for standard error estimators which consistently estimate the standard deviation of regression coefficients, even for a model which exhibits heteroskedasticity and autocorrelation of an unknown nature, is presently an active field of econometric research. We explored both the Newey-West (see Chapters 11-12 of [20]) and the Kiefer-Vogelsang [21] approaches. However, our results were not consistent between these different methods, which suggests that our sample size is too small for the asymptotic probability theory underlying these methods to be a good approximation. Consequently, it proved necessary to use Monte Carlo simulations to estimate the finite-sample probability distribution of the T statistics.

In order to perform Monte Carlo simulations, the null hypothesis must completely specify the data-generating process (DGP) to be simulated. The null hypothesis in this context, which is just the blanket assumption that there is no log-periodicity, is a compound hypothesis and does not fully specify a DGP. However, our main concern is whether any apparent log-periodicity can be

³We refer to the correlation between $\varepsilon(t_i)$ and $\varepsilon(t_{i-l})$ as the lag- l autocorrelation.

n	1624
$e^T e$	.128761
R^2	0.0143

	coeff.	std. err.	T	p
A	.000451	.000309	1.458	.145
B	-.020201	.009796	-2.062	.039
C	.001555	.000481	3.232	.001
D_2	.001647	.002327	0.708	.479
D_3	-.002148	.000678	-3.169	.002
D_4	-.003461	.001593	-2.172	.030

Table 4: Estimation of linear parameters to the best log-periodic specification for the truncated data set.

accounted for by a simple specification of the index’s behavior such as a random walk or a GARCH process. Matching the first and second moments of Δy conditional upon Δt , we constructed a random walk with normally distributed innovations.

In 20 simulations, six produced fits to the specification of (32) with T statistics for B larger in magnitude than the observed value of -1.312, which implies a p value of $.30 \pm .10$. Thus the Δf_1 term is not statistically significant. This is not entirely surprising since the inclusion of the f_1 term in Eq. (24) is really not well motivated in [12]. Unlike the f_2 term, the f_1 term does not come out of Sornette and Johansen’s Landau expansion. Rather, it is included ad hoc to account for the growth trend seen in most financial indices, though this growth trend could also be accounted for by a constant drift. On the other hand, we observe only one simulation with a T statistic for the log-periodic coefficient C as large as 4.5 in magnitude. This implies a p -value of $.050 \pm .049$, so we do not firmly reject the log-periodic term at the 5% level.

If the Sornette-Johansen paradigm has any practical value though, we should be able to predict a crash even if we do not have all the data leading right up to the crash. What happens if we disregard the last year of stock market data? Do the first differences of the S&P 500 contain the information necessary to forecast a crash in October of 1987?

Using a window of data from January 1980 to June 1986, the best fit we obtain is reported in the second column of Table 2, and the corresponding OLS regression is given in Table 4. Notice that we do not forecast a crash in 1987. Rather, we forecast a crash just beyond the end of the window. Using the same DGP as before, in five of 20 simulations we obtained a T statistic larger than 3.23 for the log-periodic term, implying $p = .250 \pm .097$. Thus the log-periodic term is not significant at the 5% level in this fit.

As we noted in Section 3, the same data set may give several fits with roughly similar values of $e^T e$. Although the nonlinear parameters of the fit for the full data set do not give the best fit for the truncated data set, conceivably

n	1624
$e^T e$	.129005
R^2	0.0124

	coeff.	std. err.	T	p
A	.000065	.000438	0.147	.883
B	-.032800	.016639	-1.971	.049
C	-.000879	.000318	-2.767	.006
D_2	.000723	.002362	0.306	.759
D_3	-.002992	.000924	-3.239	.001
D_4	-.004185	.001829	-2.288	.022

Table 5: Estimation of linear parameters for a log-periodic specification to the truncated data set using the best nonlinear parameters obtained for the full data set.

they could still produce a decent fit with a statistically significant log-periodic component. An OLS regression using the nonlinear parameters of the first column of Table 2 is reported in Table 5. In 20 simulations, 14 had T statistics for C larger in magnitude than 2.767, so $p = .700 \pm .102$. Thus even using the nonlinear parameters that were statistically significant for the full data set, we do not find a statistically significant log-periodic component in the truncated data set.

Since the log-periodic function is significant for the full data set, there must be some structure in the data which projects onto this function. However, the failure of this function to produce a significant coefficient in the truncated data set suggests the pertinent structure is localized within the last year before the crash. Note that this structure need not be log-periodic. We can only conclude that the log-periodic function represents this structure better than any of the other functions included in the regression.

Whatever is happening in the last year, we can conclude that $E[\Delta y]$ does not have a statistically significant log-periodic trend through most of the data set. More precisely, the Δf_2 term in the specification of Eqs. (31) and (32) is not significant. Therefore, the f_2 term in Eq. (24) is not significant, which would imply that $E[\ln p_t]$ has no log-periodic trend.

One might wonder how this can be reconciled with the fits observed in Section 3. How can $\ln(p)$ behave log-periodically when its expectation does not? Serial correlation may answer this question. A short string of several increments which coincidentally fall in the same direction followed by a string of increments in the opposite direction may create an oscillation completely by happenstance with no underlying force behind it.

5 The Frequency Distribution of Drawdowns




Figure 9: Frequency of draw downs for the S&P 500 index from 1962 to 1998. The bin size is 1%.

In their search for an independent form of evidence to corroborate their hypothesis that sizable financial crashes are often the culmination of forces that build up over long periods of time, Johansen and Sornette [11] examined the frequency distribution of drawdowns, a drawdown being the cumulative drop in a financial index from a local maximum to the succeeding local minimum. Fig. 9 displays a semilog graph of the frequency distribution of drawdowns larger than 0.5% for the S&P 500 during the period 1962-1998. If we disregard the lone drawdown of magnitude larger than 20%, which corresponds to the October 1987 crash, it is immediately apparent that this semilog graph looks linear. Seizing upon this observation, Sornette and Johansen concluded that there must be two populations of drawdowns. The majority of drawdowns have an exponential distribution, and these constitute the first population. Those drawdowns, like the 87 crash, which do not obey this exponential distribution constitute the second population. Sornette and Johansen further suggest that the first population is produced by the normal behavior of a financial index obeying a GARCH process. In contrast, the second population is the result of the imitative behavior of investors, and it is this population that exhibits log-periodic oscillations prior to the drawdown.

While the frequency distribution of the first population of drawdowns (every data point except the 87 outlier) may look exponential, we can objectively test whether it actually is exponential. In Table 6, we present the results of a regression of the logarithm of the frequency versus a quadratic function of the drawdown size d . The alleged outlier, the October 87 crash, was not included as a data point in this regression. Nevertheless, the quadratic term in this regression with the 87 crash excluded is statistically significant at the 1% level. The justification for treating the 87 crash separately was that it did not fit to a line through the other drawdowns. However, the significance of the quadratic term indicates the logarithm of the frequency distribution for the

# of obs.	12			
$e^T e$	.180			
R^2	.969			
	coefficient	standard error	T	p
d	-1.097	0.155	-7.065	0.000
d^2	0.039	0.012	3.378	0.008
constant	7.812	0.439	17.801	0.000

Table 6: Regression of the logarithm of the frequency of draw downs versus a quadratic function of the draw down size d . The October 1987 crash is not included.

# of obs.	12			
$e^T e$	.196			
R^2	.9666			
	coefficient	standard error	T	p
d^8	-1.549	0.230	-6.722	0.000
d^2	0.022	0.010	2.280	0.049
constant	8.348	0.534	15.640	0.000

Table 7: Regression of the logarithm of the frequency of draw downs versus d^8 and d^2 , where d is the draw down size d . The October 1987 crash is not included.

remaining drawdowns is not linear either. Since a nonexponential frequency distribution can certainly be found that fits to all the data, the visual evidence of two populations is unconvincing.

Aware of these deviations from the exponential curve, Johansen and Sornette have recently proposed ([22]) that the first population is better described by a “stretched” exponential

$$N(d) = \exp(A + Bd^x), \quad (33)$$

where $N(d)$ is the frequency of drawdowns of size d . They find that $x \approx .8 - .9$. Using this specification on our data set, we find the best value of x within the interval $[.8, 1]$ to be .8 and obtain the regression estimates of Table 7. Notice that the d^2 term remains statistically significant at the 5% level. Thus the specification of the stretched exponential with $x \in [.8, 1]$ must also be rejected.

However, if we allow x to range beyond this interval, we find that $x = .5$ gives the best fit, and if we include a term linear or quadratic in d neither is statistically significant at the 5% level. Furthermore, if we consider a specification of the form

$$N(d) = \exp(A + B\sqrt{d} + Cd), \quad (34)$$

# of obs.	13
$e^T e$	.289
R^2	.9519

	coefficient	standard error	T	p
d^5	-5.148	0.570	-9.023	0.000
d	0.542	0.089	6.069	0.000
constant	11.847	0.842	14.071	0.000

Table 8: Regression of the logarithm of the frequency of draw downs versus d^5 and d , where d is the draw down size d . The October 1987 crash is included.

then we are able to accomodate all the data including the 87 outlier. In Table 8, we give the regression estimates for such a specification and we obtain a favorable $R^2 = .9519$, so with this data set it does not seem reasonable at all to treat the 87 crash differently from other drawdowns. Nevertheless, it is possible that this result is an artifact of the small data set available to us.

Johansen and Sornette considered the specification (33) over the distribution of drawdowns for a much larger time period. They also looked at many other financial time series besides the S&P 500, and they consistently obtained values of $x \sim 1$. In more than half of these examples, though, it is patently obvious that the specification (33) is wrong, for statistically significant deviations are clearly visible in their graphs. If the model is misspecified, no valid inferences can be drawn from it.

Of course, in Section 3, we saw that the 87 crash was not the only drawdown between 1962 and 1998 with a log-periodic precursor. If we had an objective way of distinguishing drawdowns with log-periodic precursors from drawdowns without such precursors, then it is still possible that the distribution of drawdowns without precursors is exponential.

6 Concluding Remarks

While the evidence of log-periodic precursors to financial crashes has spawned a minor industry in the physics community, it is apparent that a more rigorous investigation of this phenomenon must be conducted before we can come to a firm conclusion that log-periodic oscillations reflect a discrete scale invariance underlying the economy and furthermore that such oscillations signal an impending crash. In particular, it would be desirable for researchers to agree upon an objective definition of what constitutes a log-periodic spell so that a statistical association between these spells and ensuing crashes can be firmly established.

We must emphasize that a physicist who endeavors to successfully carry out these goals will have to employ and perhaps even invent advanced statistical




Figure 10: The standard deviation of daily changes to the logarithm of the S&P 500 sampled over a moving window of fifty trading days from January 1980 to October 1987.

methods of a nature that may be unfamiliar to him because they are simply unnecessary in more customary physics settings. A physicist can typically rely more confidently on elementary statistical methods because he can do controlled experiments. He can often identify and directly measure the relevant sources of error. Testing a model can be just a matter of determining whether the model agrees with the data to within a degree that can be accounted for by these known sources of error. In contrast, an econometrician's task is vastly more difficult, at least as far as testing models goes, for he must simultaneously estimate the parameters of his model and the properties of any unmodeled disturbances using the same data set (which was probably gathered under less than ideal conditions). As a result, econometricians have had to acquire complicated tools to efficiently salvage as much information as they can from their data, and physicists who expand into this realm will have to do the same.

While the present work does not refute what has come before, we think it does shed some doubt on the hypothesis of discrete scale invariance in financial markets. Though log-periodicity is visually apparent in the S&P 500 preceeding the 87 crash, we find no evidence of log-periodicity in the mean function of this index prior to a year before the crash. This would suggest that if log-periodicity is embedded in the stochastic process of the index, then it must be conveyed in higher-order moments. However, evidence of log-periodicity in the second moment of the process is also lacking. In Fig. 10, we plot a measure of the volatility of the S&P 500, the standard deviation of Δy sampled over a moving window of fifty trading days, from January 1980 to October 1987. No pattern of log-periodicity can be seen in the graph.

The negative result of this paper is also troubling from a theoretical perspective. While Johansen et al. ([9]) are not alone in their efforts to construct an economic model which can produce log-periodic price series (see for example [23]), economists would be reluctant to embrace any theory that diverges from

Johansen et al.'s attempt to ensure the model is robust to the introduction of a rational agent with rational expectations. There are today economic theorists exploring models in which agents are not fully rational, but a model whose predictions absolutely depend on there being no one in the economy who has a good grasp of how the world works is not likely to acquire a large following. Any model which does not suffer from this disease will have to satisfy a restriction like the martingale condition of Eq. (15).

A model which incorporates discrete scale invariance and log-periodicity in its structure would not necessarily imply that the expectation of prices must also behave log-periodically. However, if log-periodicity arises because the probability of a crash behaves log-periodically, then it is difficult to imagine how one could avoid making the prediction that the expected price must also behave log-periodically. If nothing else, the results of this paper would seem to demonstrate that a more circuitous explanation of log-periodicity is required.

Acknowledgements

We would like to thank William Brock, Peter Freund, Joel Horowitz, Kirill Ilinski, Sok Bae Lee, Gene Savin, and Robert Wyckham for comments, discussions, and advice.

References

- [1] Drozd, S., F. Ruf, J. Speth, and M. Wojcik, *European Physics Journal* **B10**, 589 (1999).
- [2] Feigenbaum, James and Peter G. O. Freund, (1996), *International Journal of Modern Physics* **B10**, 3737 (1996).
- [3] Feigenbaum, James, and Peter G. O. Freund, *Modern Physics Letters* **B12**, 57 (1998).
- [4] Gluzman, S. and V. I. Yukalov, *Modern Physics Letters* **B12**, 75 (1998).
- [5] Johansen, Anders, and Didier Sornette, *European Physics Journal* **B9**, 167 (1999).
- [6] Sornette, Didier, Anders Johansen, and Jean-Philippe Bouchaud, *J. Phys. I. (France)* **6**, 167 (1996).
- [7] Vandewalle, N., Ph. Boveroux, A. Minguet, and M. Ausloos, *Physica* **A255**, 201 (1998).
- [8] Vandewalle, N., Ph. Boveroux, A. Minguet, and M. Ausloos, *European Journal of Physics* **B4**, 139 (1998).
- [9] Johansen, Anders, Didier Sornette, and Olivier Ledoit, *International Journal of Theoretical and Applied Finance* **3**, 219 (2000).

- [10] Johansen, Anders, Olivier Ledoit, and Didier Sornette, *Journal of Risk* **1**, 5 (1999).
- [11] Johansen, Anders, and Didier Sornette, *European Physics Journal* **B1** 141 (1999).
- [12] Sornette, Didier and Anders Johansen, *Physica* **A245**, 411 (1997).
- [13] Blanchard, Olivier Jean and Stanley Fischer, *Lectures on Macroeconomics* (MIT Press, Cambridge) (1989).
- [14] Ilinski, Kirill, *International Journal of Modern Physics* **C10**, 741 (1999).
- [15] Harrison, J. Michael and David M. Kreps, *Journal of Economic Theory* **20**, 381 (1979).
- [16] Press, William H., Brian P. Flannery, Saul A. Teukolsky, and William T. Vetterling, *Numerical Recipes in C: The Art of Scientific Computing* (Cambridge University Press: Cambridge) (1991).
- [17] Amemiya, Takeshi, *Advanced Econometrics* (Harvard Press, Cambridge) (1985).
- [18] Laloux, Laurent, Marc Potters, Rama Cont, Jean-Pierre Aguilar, and Jean-Philippe Bouchaud, *Europhysics Letters* **45**, 1 (1999).
- [19] Huang, Y., A. Johansen, M. W. Lee, H. Saleur, and D. Sornette, cond-mat/9911421 (2000).
- [20] Greene, William H., *Econometric Analysis* (Prentice Hall: Upper Saddle River, NJ) (2000).
- [21] Kiefer, Nicholas M., Timothy J. Vogelsang, and Helle Bunzel, *Econometrica* **68**, 695 (2000).
- [22] Johansen, Anders and Didier Sornette, cond-mat/0010050.
- [23] Canessa, Enrique, *Journal of Physics A: Math. Gen.* **33**, 9131 (2000).